

DWR Series Pivoting Wall Rack - DWR-12-32 **SKU: DWR-12-32**



The DWR Series Wall Racks are now Forward and Lever Lock™ compatible providing maximum mounting capacity on and off the rail and a suite of tool-free accessories making rack installations 5Xs faster!

- 12RU and 32" Deep
- Now equipped with the revolutionary **Forward** rackrail giving you the ability to use Forward blank panels, vent panels and horizontal cable management. Rear rackrail is optional (FWD-DWR-RRxx)
- Now accepts patented **Lever Lock™** tool free and hardware free internal device and cable management system accessories in the backpan (with LL-DWR/SR-BP)
- Robust welded steel construction, with Seismic certification when used with DWRSR-ZL latch
- Tool-Free Quick-Mount™ system for easy, one-person mounting of the center section to the backpan on the jobsite
- Optional minimum-clearance latch allows side-by-side or interior corner mounting to save room
- Center section swing is reversible, and can be both key-locked and padlocked
- Center section is keyed differently from optional front door for additional security
- Designed for active or passive cooling to support all systems

Specifications

Dimensions &

Measurements

Depth	32 in (81.3 cm)
Height	28.06 in (71.3 cm)
Product Weight	86.5 lbs (39.2 kg)
Rack Units	12 RU
Shipping Weight	123 lbs (55.8 kg)
UL Load Capacity	200 lbs (90.7 kg)
Usable Depth	30 in (76.2 cm)
Usable Height	21 in (53.3 cm)
Width	23.4 in (59.4 cm)

Characteristics & Features

Available Internationally	Yes
Color	Black
Federal Ops Country of Origin	USA
Finish	Black Wrinkle Powder Coat
Forward Compatible	Yes
Front Door	No
Material	Steel
Rack Rail Type	Forward Rackrail
Seismic Rated	Yes
TAA Compliant	Yes
UPC	656747100512

Certifications & Warranties

Certifications

- CSA Standard
- TAA
- UL Listed

Patent Number

7278183

Seismic Load Capacity

155 lbs (70.3 kg)

Source: https://www.legrandav.com/products/racks/wall/dwr_pivoting_wall_rack/dwr-12-32