

18 RU ERK Series Rack, 25 Inches Deep **SKU: ERK-1825**



An economical standalone rack with solid sides, the ERK Series can also be ganged to create partitioned multi-bay installations for thermal management control, and security. It is seismically certified to protect your components when installed with ERK-Z4 brackets.

- 18RU and 25" Deep
- Fully welded construction for strength
- Rack sides include top and bottom venting
- Convenient lacing points and slotted rackrail brackets for cable management
- Standard front adjustable 10-32 threaded rackrail with numbered spaces
- Includes key-locked standard rear door
- UL Listed in the US and Canada with a 2,500lbs. (1,100kg) weight capacity

Specifications

Dimensions &

Measurements

Depth	25 in (63.5 cm)
Height	35.63 in (90.5 cm)
Panel Width	19 in (48.3 cm)
Product Weight	64.1 lbs (29.1 kg)
Rack Units	18 RU
Shipping Weight	96 lbs (43.5 kg)
UL Load Capacity	2500 lbs (1,134 kg)
Usable Depth	23.47 in (59.6 cm)
Usable Height	31.63 in (80.3 cm)
Width	22 in (55.9 cm)

Characteristics & Features

Color	Black
Federal Ops Country of Origin	USA
Finish	Black Wrinkle Powder Coat
Material	Steel
Product Configuration	Frame Only
Rack Rail Type	10-32
Rear Door	Yes
Seismic Rated	Yes
Ships Flat	No
TAA Compliant	Yes
UPC	656747006166

Certifications & Warranties

Certifications

- ASCE
- TAA
- UL Listed

Seismic Load Capacity

591 lbs (268.1 kg)

Source: https://www.legrandav.com/products/racks/floor_standing/erk_av Rack/ERK-1825