

NEXSYS™ 9 Outlet, 20 Amp Rackmount Power with Multi-Stage Surge Protection **SKU: PDX-920R**



The NEXSYS PDUs are built on a promise that we've kept for over two decades – more than half the life of the company – that our products are designed, engineered, and built *for* AV. Every NEXSYS rackmount PDU is available in 15A and 20A and always have surge and voltage protection making it easy to select the right PDU for the job. Still need more? Each NEXSYS rackmount PDUs can be controlled remotely via contact closure. Just choose NEXSYS.

NEXSYS Features & Benefits

- Multi-stage MOV surge protection
- 3 stages of surge protection
- Visual Indicators of surge status on front panel
- **Be in the know.** Remote notification of surge status via remote contact closure
- **Worried about the under/over voltage? Don't.** With the selectable on/off voltage protection from the front of the unit, it gives the option to protect sensitive equipment from over/under voltage scenarios.
- If the voltage protection is on and an over or under voltage event happens the outlets will automatically be turned off to protect the equipment. Once the power restores within the acceptable voltage range the PDU will automatically turn the outlets back on.
- **IEC Inlet:** Allows for cleaner cable management by selecting your desired length of power cord.
 - A standard 9' cord is included with all models
- **Tired of blocked outlets?** You pay for 8 outlets and we think you should be able to use all 8 outlets! The rear outlets are oriented for easier plugging of DC transformers (wall warts) eliminating blocked outlets
- **For your convenience.** An outlet on the front of the unit if you need it.

Specifications

Dimensions & Measurements

AC Voltage Input	120 VAC
AC Voltage Output	120 VAC
Amps	20 Amp
Cord Length	9 ft (2.7 m)
Depth	8.75 in (22.2 cm)
Height	1.75 in (4.4 cm)
Rack Units	1 RU
Shipping Weight	10.85 lbs (4.9 kg)
Width	19 in (48.3 cm)

Characteristics & Features

Control Type	Contact Closure
Isolated Ground	No
Outlet Count	9
Plug Type	NEMA 5-20P
Receptacle Type	NEMA 5-20R
Special Features	NEXSYS PDU
Surge Protection Type	Multi-Stage MOV
TAA Compliant	No
UPC	656747396250

Certifications & Warranties

Certifications	UL Listed
Patents	www.legrandav.com/patents
Warranty	3 years

Source:

https://www.legrandav.com/products/power/horizontal_rackmount_power/nexsys_rackmount_power_multi_stage_surge_protection/PDX-920R