

Compact Premium+ PDU With Racklink, 4 Outlet 15A & 2-Stage Surge **SKU: RLNK-P415**



Keep Eyes On The Signs.

Monitor Your Digital Signage Installations.

Middle Atlantic's compact Premium+ PDU with RackLink™ is a best-in-class solution for digital signage installations. Premium+ protects system from power anomalies that can damage sensitive displays or dvLED tiles and offers robust remote monitoring/logging capabilities via IP connectivity to ensure ultimate up-time. This means that you and your customers can feel confident that all eyes are seeing the messaging as expected.



Control Concepts Supported Product

Have the confidence that our modules and plug-ins are developed and backed by Control Concepts, the premier software developer for the AV industry.



HETMA Approved

This certification recognizes these products' outstanding quality, reliability, and ability to enhance technology integration in higher education environments.

- Slim form factor is easily concealed behind displays and dvLED tile walls
- Includes mounting bracket for on-wall installation
- 4 Outlets
- 15 Amps
- 2-Stage MOV Surge Protection
- 24/7/365 connectivity with the RackLink™ Remote Management System to monitor everything plugged into the PDU
- Simple system setup with advanced capabilities
 - Save programming with integrated scheduling, variable timed sequencing, ping sequencing, auto healing, thresholds, and multiple notification options.
 - Easily connect to control systems and IT systems with universal compatibility through custom drivers, SNMP v3/MIB, JSON-RPC, and 3rd party integrations.
 - Connect via Wi-Fi with a 3rd party dongle
 - Remotely update firmware without having to shut down the PDU, ensuring system uptime
- Best-in-class monitoring, logging, and data reporting for remote system management with a user-friendly interface.
 - Superior metering accuracy of total power draw down to outlet level including current, voltage, power, power factor and energy usage
 - Connect multiple environmental sensors to monitor the temperature and humidity and alert potential threats that could cause system downtime
- Industry-leading network security and support of IT protocols for demanding end users
 - SSL/TLS Certificates
 - SSH
 - HTTPS
 - Self-signed certificates
- Built in partnership with Raritan, a leader in the intelligent power market, using their Xerus platform to deliver robust security features and intelligence
- Compliant with AVIXA Energy Management Standard to support energy efficient AV system design, monitoring and optimization.

Specifications

Dimensions & Measurements

AC Voltage Input	80-140V
------------------	---------

Amps	15 Amp
------	--------

Product Weight	6.6 lbs (3 kg)
----------------	----------------

Shipping Weight	6.6 lbs (3 kg)
-----------------	----------------

Characteristics & Features

Available Internationally	No
---------------------------	----

Outlet Count	4
--------------	---

Output Ports	LAN
--------------	-----

Receptacle Type	NEMA 5-15R
-----------------	------------

Surge Protection Type	2-Stage
-----------------------	---------

TAA Compliant	No
---------------	----

UPC	656747363344
-----	--------------

Certifications & Warranties

Certifications	<ul style="list-style-type: none">• FCC• UL Listed
----------------	---

Source:

https://www.legrandav.com/products/power/intelligent_power/premium_plus_pdu_with_racklink/rlnk-p415